

DEFICIENCY

General Information

DF ZINC 2015 is a dry flowable zinc concentrate for foliar application.

DF ZINC 2015 is recommended on the following crops: apples, barley, all beans, broccoli, blackcurrants, cabbage, cauliflower, celery, cherries, gooseberries, grass, hops, kale, lettuce, oats, oilseed rape, onions, parsnips, pears, peas, plums, potatoes, raspberries, red beet, rye, sprouts, strawberries, sugar beet, tomatoes, turnips, wheat and most other crops.

CONDITIONS OF SUPPLY: All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing, use or of the weather conditions before, during and after application which may affect the performance of the goods, all conditions and warranties, statutory or other wise, as to the quality of fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or re- seller for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

Limitations, Restrictions, and Exceptions

For best results spray when crop is in an active growing state. During hot weather spray early morning or late afternoon.

DF ZINC 2015 is manufactured to rigid controls at the highest concentration for effective use.

Repeat applications after 7-14 days if deficiency symptoms persist.

Method

[Foliar spray](#)

Rates

[field rates 0](#)

-

Timings

When crop is in an active growing state.