

## **FOLIAR APPLICATION: MILD DEFICIENCY**

### General Information

#### DIRECTIONS FOR USE:

For use in a balanced fertility program for all crops requiring boron, iron, manganese, molybdenum and zinc. User should seek the advice of a certified crop advisor or trained agronomist. For specific crop recommendations in your area, consult your state's recommendations.

**CAUTION:** Over-application or excessive use of boron, or use on crops other than those listed can result in boron toxicity and may cause serious crop injury.

**CAUTION:** The application of fertilizer materials containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum (Mo) that are toxic to ruminant animals.

MAX-IN for Beans is not to be used as a replacement for any surfactant in recommendations tank-mixed with herbicides.

The use of ammonium sulfate is always recommended when tank-mixed with glyphosate based products and other herbicides.

MAX-IN for Beans is specifically designed for use on soybeans in conjunction with glyphosate products. However, this product can be used on other crops where the addition of micronutrients would be beneficial. For use on crops other than soybeans, apply according to directions of your regional Winfield Plant Nutrition Specialist or local agricultural professional to crops. It is compatible with most agricultural pesticides. However, if local information is not available, a jar test for compatibility should be conducted prior to large scale mixing.

#### Mixing Instructions:

1. Add water and agitate
2. Add an ammonium sulfate source (such as Class Act® NG® or Alliance®) or water conditioner

3. Add MAX-IN for Beans

4. Add Pesticides.

NOTE: If wettable powders or water dispersible granules (WDG) are used, slurry them in water prior to addition.

Mixing Instructions When Mixed With Glyphosate:

1. Fill tank  $\frac{1}{2}$  full with water and agitate

2. Add Class Act NG or AMS and agitate

3. Add MAX IN Beans, continue agitation

4. Fill tank to  $\frac{3}{4}$  full and continue agitation

5. Add glyphosate and continue agitation

6. Fill tank to full.

Do not mix MAX IN Beans and glyphosate together in the cone inductor. If using a cone induction system rinse it out thoroughly with water between the addition of MAX IN Beans and glyphosate. At the end of the day, rinse out spray booms.

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

Not intended for use with phosphate fertilizers.

Limitations, Restrictions, and Exceptions

FOLIAR APPLICATION: MILD DEFICIENCY

Apply in a minimum of 10 gallons of water by ground.

Applications should be made in the V3-V5 stage and repeated, if necessary, at the R1-R2 stage.

Method

[Broadcast/Foliar Ground](#)

Rates

[field\\_rates 0](#)

•

Timings

[N.A.](#)