

TURFGRASSES - MOLE CRICKETS, CHINCH BUGS (SUPPRESSION)

General Information

FEATURES & USE TIPS:

- Contains MERIT insecticide, an insecticide that controls many root-feeding insects as listed.
- For fertilization and insect control in turfgrass and landscape ornamentals and sod farms.
- Multiple use rates allow targeting of specific insects.
- High uniformity precision blend for accurate spreading
- Fifty percent of total nitrogen is derived from NS-54 slow release nitrogen.

Refer to label for Spreader settings, application and instructions.

Limitations, Restrictions, and Exceptions

For suppression of chinch bugs, make application prior to the hatching of the first instar nymphs. For control of mole crickets make application within one week of the peak egg hatch period. If application is not made prior to egg hatch, and adults or large nymphs are present and actively tunneling, apply The Andersons Turf Products Fertilizer with 0.2% MERIT Insecticide in combination with a remedial insecticide to minimize damage to turf.

Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, irrigate if rainfall does not occur within 24 hours after application to move the active ingredient through the thatch. On golf courses, irrigate treated areas following application. Do not apply more than 200 lb. (0.4 lb of active ingredient) per acre per year. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

Method

[Broadcast](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

-

Restricted Entry Interval

12 hours

Timings

[Prior to egg hatch of the target pest.](#)