

TURF - HIGH RATE APPLICATION

General Information

DIRECTIONS FOR USE

Apply only as directed during the growing season.

For use on greens and tees where a nitrogen and potassium application is desired.

Potassium application will help to improve turfgrass resistance to stress.

Watering in this product will disperse each granule into thousands of particles. This will facilitate the movement of the nutrients into the soil. This particle dispersion will also greatly reduce ball, shoe and mower pickup. Cold weather and/or cold water (lower than 45°F / 7°C) can result in slower particle dispersion.

Application to wet, close-cut golf turf may result in foliar staining, which will discolor the turf to a brown/black appearance. This can occur even if immediate irrigation or rainfall occurs. It is recommended that this product be applied to dry turf only.

Nitrogen Notice: For those states with nitrogen application restrictions, including but not limited to, MD, NH, NJ and VA, do not apply more than 3.9 lbs of this product per 1,000 sq.ft.

FLORIDA APPLICATIONS:

We recommend that you follow the Florida Green Industries BMP's at http://www.flaes.org/pdf/BMP_Book_final.pdf

We recommend that you follow the Florida Golf Course BMP's at <http://www.flaes.org/pdf/glfbmp07.pdf>

For all applications:

- Apply to dry turf and water in immediately with 0.2 inches of water.
- Apply at the MEDIUM RATE or HIGH RATE
- Exception: Apply at the LOW RATE if temperatures are 85°F (30°C) or above. Make

repeat applications as necessary.

This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.

CAUTION: The application of fertilizing materials containing molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn.

Limitations, Restrictions, and Exceptions

TURF (HIGH RATE APPLICATION):

FLORIDA APPLICATIONS: We recommend that you follow the Florida Green Industries BMP's at http://www.flaes.org/pdf/BMP_Book_final.pdf

FLORIDA APPLICATIONS: We recommend that you follow the Florida Golf Course BMP's at <http://www.flaes.org/pdf/glfbmp07.pdf>

For all applications:

- Apply to dry turf and water in immediately with 0.1 to 0.2 inches of water.
- Apply at the MEDIUM RATE or HIGH RATE
- Exception: Apply at the LOW RATE if temperatures are 85°F (30°C) or above. Make repeat applications as necessary.

Note: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.

Recent research has shown that well-maintained turf is an effective environmental buffer that prevents pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto

the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

Method

[Directed](#)

Rates

[field rates 0](#)

-

Timings

[N.A.](#)