

BEEF CATTLE, COWS AND CALVES: FOR CATTLE WEIGHING LESS THAN 600 POUNDS

General Information

Note: Cyonara Plus is not effective in controlling cattle grubs. This product may be applied to cattle at any time during the year and not have host-parasite reactions, associated with grub treatment products, occur. Use Cyonara Plus in an IPM (integrated pest management) system which may involve repeat treatments and the use of other pest control practices. Continued exposure of horn flies to a single class of insecticide (e.g. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs and your Cooperative Agricultural Extension Service.

Restrictions: Do not apply to lactating or dry dairy cows, or to the face of beef cattle, cows or calves.

Cyonara Plus is not recommended for use on veal calves.

Limitations, Restrictions, and Exceptions

BEEF CATTLE, COWS AND CALVES: FOR CATTLE WEIGHING LESS THAN 600 POUNDS

Apply product down the backline.

Repeat as necessary but, do not apply more than once every two weeks and do not apply more often than four times within any six month period.

For Lice: For reduction of sucking lice, two treatments at a 14-day interval are recommended.

Method

[N.A.](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

•

Timings

[N.A.](#)