

CITRUS, FIELD, ROW, VEGETABLE, FRUIT, TREE, VINE, ORNAMENTAL AND TURF CROPS - SOIL APPLICATION (SEVERE DEFICIENCY)

General Information

GENERAL INFORMATION

LIQUID ZINC 9% is especially recommended for citrus crops but may also be used on field, row, vegetable, fruit, tree, vine, ornamental and turf crops. LIQUID ZINC 9% alone, with pesticides, or with other fertilizers, may be applied directly to the soil or to the foliage of growing crops. LIQUID ZINC 9% may be applied via ground sprayer (high-volume or low-volume), aircraft or drip irrigation systems.

DIRECTIONS FOR USE

Soil applications of LIQUID ZINC 9% are recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliar applied LIQUID ZINC 9% most efficiently. Immediate post-irrigation or post-rainfall application gives the best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Bi Urea per 100 gallons of spray solution) will enhance foliar uptake of LIQUID ZINC 9%.

Limitations, Restrictions, and Exceptions

CITRUS, FIELD, ROW, VEGETABLE, FRUIT, TREE, VINE, ORNAMENTAL AND TURF CROPS

The lower rates are for field, row and vegetable crops and the higher rates are for fruit, tree, vine, ornamental and turf crops.

Fertigation : Apply the recommended amount of LIQUID ZINC 9% in split applications one to two weeks apart throughout the growing season.

Method

[Soil application](#)

Rates

[field_rates 0](#)

-

Timings

[N.A.](#)