

# **HOUSE MICE**

## General Information

### USE RESTRICTIONS:

**DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, OR NON-TARGET WILDLIFE.**

This product may only be used to control house mice (*Mus musculus*) in homes, and in industrial, commercial, or agricultural buildings. Do not use this product outdoors. Do not place this product in areas where there is a possibility of contaminating food, animal feed, water or surfaces that come in direct contact with food, feed, or water. Do not place station near or inside ventilation equipment or ventilation duct openings.

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

### Limitations, Restrictions, and Exceptions

### APPLICATION DIRECTIONS:

**HOUSE MICE:** Place a single unit at each placement location. Space placements at 8 to 12 foot intervals. Replace units if contents are consumed or contaminated, or if units are severely damage. If units are untouched after three days, move to new locations consistent with label text. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there are no longer signs of new feeding by house mice.

**FOLLOW-UP:** Replace contaminated or spoiled bait

immediately. Using waterproof gloves collect and dispose of all dead, exposed animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

Method

[Bait](#)

Timings

[At sign of mice have been seen.](#)