

MILDEWSTAT

General Information

Spectrasol Disinfectant is a phosphate-free, pH neutral formulation designed to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, schools, food processing plants, food service establishments, transportation terminals, office buildings, manufacturing facilities, lodging establishments, retail businesses, athletic facilities, sports stadiums, amphitheaters and convention centers where housekeeping is of prime importance in controlling cross-contamination from treated surfaces.

Spectrasol Disinfectant, when used as directed, is formulated to disinfect the following hard non-porous inanimate environmental surfaces: Floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, artificial turf surfaces, vanity tops, shower stalls, bathtubs, and cabinets.

Spectrasol Disinfectant is for use in:

- Food processing plants, dairy farms, hog farms, poultry and turkey farms and egg processing plants.
- Veterinary clinics, animal life science laboratories, kennels and cages, breeding and grooming establishments, pet animal quarters, zoos, pet shops, and other animal care facilities.
- For larger areas such as operating rooms and patient care facilities, this product is designed to provide both general cleaning and disinfecting.

Spectrasol Disinfectant is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HIV-2, HBV and HCV) and inhibits the growth of mold and mildew and their odors when used as directed.

Limitations, Restrictions, and Exceptions

MILDEWSTAT: To control mold and mildew (*Aspergillus niger*) and the odors they cause on pre-cleaned, hard, non-porous inanimate surfaces add one (1) ounce of this product per gallon of water. Apply solution with a cloth, mop, sponge or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry.

Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

Method

[Spray](#)

Rates

[field rates 0](#)

-

Timings

[N.A.](#)