

SOIL APPLICATION FOR ALL CROPS - SEVERE DEFICIENCY

General Information

GENERAL INFORMATION

LIQUID MANGANESE 7% is recommended to prevent and correct manganese deficiencies of field, row, vegetable, fruit, tree, vine, ornamental and turf crops. LIQUID MANGANESE 7% alone, with pesticides, or with other fertilizers, may be applied directly to the soil or to the foliage of growing crops. LIQUID MANGANESE 7% may be applied via ground sprayers (high-volume or low-volume), aircraft or fertigation systems.

DIRECTIONS FOR USE

Soil applications of LIQUID MANGANESE 7% are recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliarly applied LIQUID MANGANESE 7% most efficiently. Immediate post-irrigation or post-rainfall application give the best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Bi Urea per 100 gallons of spray solution) will enhance foliar uptake of LIQUID MANGANESE 7%.

Limitations, Restrictions, and Exceptions

SOIL APPLICATION FOR ALL CROPS

The lower rates are for field, row and vegetable crops. The higher rates are for fruit, tree, vine, ornamental and turf crops.

Fertigation: Apply the recommended amount of product in split applications one to two weeks apart throughout the growing season.

Method

[Soil application](#)

Rates

[field rates 0](#)

-

Timings

N. A.