

FRUIT & VEGETABLES - GARLIC, ONIONS

General Information

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREV-GARD controls outdoor insects and diseases for home gardens, greenhouses, lawns, shrubs, and ornamental plantings. PREV-GARD may be applied with pump-up garden-type sprayers, trigger sprayers, hose-end sprayers, or handheld sprayers.

Keep people and pets out of treated area until sprays have dried.

Wash all fruits and vegetables before eating or processing.

To Control Listed Diseases and Insects:

Apply PREV-GARD as shown in the table section of the label according to the directions for the control of the pest or infection on the desired plant.

Instructions:

This product is not recommended for application in mid-day sun or during periods of drought when plants are subject to heat and moisture stress as temporary leaf burn may occur.

Use sufficient water to obtain full coverage of foliage, stems, etc. Spray plants every 7-10 days. If insect infestation or fungal infections are severe, the timing and frequency of applications can be as often as every 4 days until control is obtained.

Use one gallon of diluted solution for every 1000 sq. feet. Thoroughly spray plants to the point of run-off for best results. Flowers, fruits, and vegetables can be picked as soon as spray has dried.

Limitations, Restrictions, and Exceptions

Garlic, Onions

To Control: Botrytis, Downy Mildew, Late Blight, Powdery Mildew

Mix ½ ounce (0.5 fl. oz.) of PREV-GARD per gallon and thoroughly spray plants.

Method

[Spray](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

•

Timings

[N.A.](#)