

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee)
AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision,
and only for those uses covered by the certified applicator's certification.

2 (ee)
Recommendation



FOR DISTRIBUTION
AND USE ONLY IN
TEXAS

Pounce 1.5G[®]
Insecticide

For Agricultural or Commercial Use Only

EPA REG. No. 279-3059

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING.

THE FOLLOWING RECOMMENDATION IS MADE TO PERMIT APPLICATION OF THIS
PRODUCT TO CONTROL SOUTHERN CORN ROOTWORM IN CORN.

CROP	PEST	RATE OF APPLICATION
Field Corn Popcorn Field Corn Grown for Seed	Southern Corn Rootworm	6.7 to 13.3 pounds (0.1 to 0.2 lb. active) per acre

DIRECTIONS FOR USE:

Preemergent Use: To control Southern Corn Rootworm, use Pounce 1.5G at a rate of 6.7 to 13.3 pounds (0.1 to 0.2 pound active) per acre in the time period from 5 days prior to planting up to emergence of the crop. Apply as a broadcast application using ground or aerial equipment or as a 7-inch band. For the best results, apply in a T-band over the seed furrow. For the band application use Pounce 1.5G at a rate of 8 to 16 ounces per 1,000 linear feet of row.

(Continued next page)

Code 692 1/2000

Corn Insecticide Applicator Settings

Pounce 1.5G is a dense, free flowing insecticide requiring accurate equipment calibration to apply the recommended amount per acre. Calibrate your planter to the speed at which you plan to travel during planting operation. The following are approximate settings for guidance in calibration:

Ounces/1000 Linear Feet	Application Rate Pounce 1.5G								
	8 oz.			12 oz.			16 oz.		
Planter Speed (mph)	4	6	8	4	6	8	4	6	8
Equipment:									
Gandy Model 901	14	17	20	17	21	25	20	25	28
John Deere									
MaxEmerge									
(Even Notch)	8	12	16	12	17	22	15	22	27
(Odd Notch)	7	10	12	10	13	16	12	16	19
I-H Case	1.3	1.5	1.7	1.5	1.7	2.1	1.7	2.2	2.8
MaxEmerge II	11	14	17	14	18	23	17	23	31

Corn Application Rates

When the granular application equipment is set to deliver Pounce 1.5G at a rate of 8, 12, or 16 ounces per 1,000 linear feet (0.1, 0.15, or 0.2 pound active per acre) the total amount applied per acre will vary depending on row spacings.

Use table below to determine the Pounce 1.5G needs for each acre:

Row spacings (inches)	Pounds of Pounce 1.5G/Acre					
	40"	38"	36"	32"	30"	28"
Pounce 1.5G Rate						
8 ounces/1000 linear feet (0.1 lb. AI)	*	6.9	7.3	8.2	8.7	9.3
12 ounces/1000 linear feet (0.15 lb. AI)	9.8	10.3	10.9	12.2	13.1	**
16 ounces/1000 linear feet (0.2 lb. AI)	13.1	**	**	**	**	**

* Use higher rate per 1000 linear feet of row so as to achieve a minimum of 6.7 Lbs. per acre (0.1 Lbs. AI)

** Use lower rate per 1000 linear feet of row so as not to exceed 13.3 Lbs. per acre (0.2 Lbs. AI)

IMPORTANT:

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(E).

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THE BASIC LABEL MUST BE FOLLOWED.

This FIFRA 2(ee) Recommendation expires 12/31/2000.

Code 692 1/2000

FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103

Pou 1.5G-2(ee)-003

FMC.

Pounce and **FMC** - FMC Trademarks
©2000 FMC Corporation