



# FIFRA Section 24(c) Special Local Need Label (SLN)

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

**For Control of Downy Mildew on Sugar Beets Grown for Seed**

## **BRAVO ULTREX®**

EPA Reg. No. 66222-277

EPA SLN No. OR-180009

This label is valid until December 31, 2023 or until otherwise amended, withdrawn, cancelled, or suspended.

---

**Active Ingredient:**

Chlorothalonil (tetrachloroisophthalonitrile)..... 82.5%

**Other Ingredients** ..... 17.5%

---

**Total:** 100.0%

Contains 0.825 lb. a.i. chlorothalonil per pound of product.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER / PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

### **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment washwater or rinsate.

#### **Groundwater Advisory**

Chlorothalonil is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

#### **Surface Water Advisory**

This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow groundwater, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

## Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Section 24(c) Special Local Need (SLN) labeling and the federal label for this product must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, precautions, and Worker Protection Requirements on this SLN label and the EPA-registered label for Bravo Ultrex, EPA Reg. No. 66222-277.
- Do not apply this product in a way that will contact workers or other persons, or pets either directly or through drift. Only protected handlers may be in the area during application.

CROP	DISEASE	RATE PER ACRE	APPLICATION DIRECTIONS
Sugar beets (seed production only)	Downy mildew	1.6 lb. (1.3 lb. a.i.)	<p>Use in sufficient water to obtain adequate coverage, normally 20 to 150 gallons per acre for dilute sprays and 5 to 10 gallons per acre for concentrate ground sprays and aircraft applications.</p> <p>Make the first application in mid-October when disease conditions become favorable, and make additional applications as favorable disease conditions warrant, through April of the following year.</p> <p>DO NOT apply Bravo Ultrex to sugar beet plants after bolting and seedhead emergence has occurred.</p> <p>Bravo Ultrex may be applied through sprinkler irrigation systems. See <i>Application and Calibration Techniques for Chemigation</i> on the Bravo Ultrex container label.</p>

### SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

**"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."**

---

Bravo Ultrex is a registered trademark of ADAMA

24(c) Registrant:  
Makhteshim Agan of North America, Inc. d/b/a  
ADAMA  
3120 Highwoods Blvd., Suite 100  
Raleigh, NC 27604

