

Resist II™

0-0-25



GUARANTEED ANALYSIS

Soluble Potash (K₂O).....25.0%
Derived from potassium hydroxide.

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S):

32% Phosphorous acid.

Net Contents 5 gallons (18.9 liters)

12.1 lbs. per gallon (1451 grams/liter) @ 68° F

FOLIAR MIXING INSTRUCTIONS

RESIST II™ mixes easily with water as follows:

1. Partially fill tank with water and start agitation.
2. Add pesticides or other nutrients.
3. Add RESIST II™ to circulating tank mix.
4. Fill tank and agitate thoroughly.

**Not all Actagro® products are compatible with one another or when mixed with other fertilizers and/or pesticides on the market. A small scale compatibility test is recommended prior to mixing.*

DIRECTIONS FOR USE

RESIST II™ can be applied to most vegetable and cucurbit crops, field crops and row crops, citrus, fruit and nut trees, vines, olives, turf, nursery and greenhouse plants and ornamental farms.

RESIST II™ may be applied to the soil or used as a foliar and may be applied through center pivot irrigation systems.

Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods.

SOIL APPLICATION RATES

ALL CROPS: Apply to the soil at 1 quart to 2 quarts per acre. RESIST II™ is most effective with drip or micro-sprinkler irrigation systems. Repeat as needed.

ORNAMENTALS - NURSERY - GREENHOUSE: Apply 1/2 oz to 1 oz per 1000 sq ft. Repeat as needed.

FOLIAR APPLICATION RATES

RESIST II™ may be applied by air or ground spray. Use the appropriate volume of water for the application method and the crop. Apply 1 quart to 2 quarts per acre. Repeat as needed.

APPLICATION THROUGH DRIP IRRIGATION - inject after irrigation filter.

Application Precaution: As with all acid materials, user should exercise precaution to avoid potential foliar burning. Use caution if applying this product in combination with other materials since mixing could result in a potentially hazardous reaction caused by product incompatibilities. A compatibility test is recommended before tank mixing with other products. The pH of any final spray solution should be checked and the appropriate amount of the solution should be applied to a small area of the intended crop to ensure plant compatibility prior to the application. **THE USER ASSUMES FULL RESPONSIBILITY TO ENSURE PRODUCT, EQUIPMENT AND PLANT COMPATIBILITIES.**

GENERAL INFORMATION

RESIST II™ contains potassium, which is intended to stimulate root development and plant health.

RESIST II™ in non-phytotoxic when used as directed and is compatible with most commonly used pesticides and fertilizers.

RESIST II™ has a low salt index and can be applied as a foliar or used in drip or micro-sprinkler irrigation systems.

RESIST™ should not be applied to plants that are stressed by high temperature or lack of moisture.

Phosphorous acid products are intended to be used as a supplemental fertilizer treatment.

WARRANTY: Since weather, crops, soil and other conditions may vary, neither ACTAGRO®, LLC, nor the Seller make a warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risk of use and handling whether or not in accordance with directions or suggestions.

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. In case of contact immediately flush skin, eyes or clothing with plenty of water for at least 15 minutes.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION: If any other chemicals are to be used in the mixture, be sure to check compatibility. Do not mix with copper based products.

ACTAGRO®, LLC.
PO BOX 309 • BIOLA, CA 93606
Copyright 2008