



# COVERALL

DEPOSITION AID / DRIFT CONTROL AGENT / PENETRANT

**PRINCIPAL FUNCTIONING AGENTS:**

Lecithin, alcohol ethoxylate, alcohol ethoxylate phosphate ester . . . . .	95.8%
Ineffective As Spray Adjuvants . . . . .	4.2%
<b>TOTAL . . . . .</b>	<b>100%</b>

WA Reg. No. 73127-10002

All ingredients are exempt from tolerance under 40 CFR 180.

## KEEP OUT OF REACH OF CHILDREN DANGER

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or spray mist. Wear protective eyewear and chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse.

**Personal Protective Equipment:** Wear protective eyewear (goggles or face shield), chemical-resistant gloves, coveralls worn over long-sleeved shirt and long pants, and chemical-resistant footwear plus socks.

SN: 003F-042210

## NET CONTENTS:

## FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.



112 W. Charron Road • Moxee, WA 98936  
230 Cowiche City Road • Cowiche, WA 98923

## GENERAL INFORMATION

**COVERALL** is designed to be used with glyphosate-containing products used on glyphosate-tolerant crops.

**COVERALL** is a multiple component, shear tolerant, and drift control agent. **COVERALL** may be used to control drift, enhance deposition and increase retention by controlling droplet size.

**COVERALL** improves deposition by increasing initial adhesion to the surface of hard-to-wet leaves, thereby reducing bounce and run-off. **COVERALL** does not increase the viscosity of the spray solution, reduce the flow rate or decrease the angle of the spray pattern. **COVERALL** produces the "right size" droplet, reducing the amount of small droplets that can drift while not producing large droplets that can bounce or run-off of certain leaves.

The amount of drift will vary depending on application conditions, equipment, tank mix partners, etc. Common sense and experience must be used during application. This product, like all other drift products, will reduce but not totally eliminate drift. Take proper precautions to ensure the spray does not reach unauthorized areas.

## DIRECTIONS FOR USE

### **NOT FOR AQUATIC USE**

**COVERALL** is safe on plants under normal conditions. Use caution under, hot and dry or other conditions that may cause plant stress. **COVERALL** may be used in any market where pest control agents are allowed and properly used including agriculture, forestry, industrial, rights-of-way, managed turf, range and pasture and other sites.

Add **COVERALL** to the tank before adding the pest control agent. This will control foam and condition the water before the active is added.

User must have experience with the mixture or must conduct a jar test prior to use. Ingredients must be mixed in the same order and ratio as they will be mixed in the large tank.

## APPLICATION OR USE RATES

Use 1 -2 quarts per 100 gallons or  
1.5 – 3 ounces (3 – 6 tablespoons) per 5 gallons of spray mix.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a manner allowed by local, state and federal laws and regulations.

## **Warranty Statement**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.