

# EQUALIZER

**Nonionic Surfactant For Use With Plant Growth Regulators**

**PRINCIPAL FUNCTIONING AGENTS:**

|   |             |
|---|-------------|
| 2-butoxyethanol, poloxalene, propylene glycol. .... | 85%         |
| Constituents ineffective as a spray adjuvant. ....  | 15%         |
| <b>TOTAL</b> .....                                  | <b>100%</b> |

WA Reg. No. 73127-10001

All ingredients are exempt from tolerance under 40 CFR 180.

## KEEP OUT OF REACH OF CHILDREN WARNING

Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wear protective eyewear (goggles or face shield), chemical-resistant gloves, long-sleeved shirt and long pants, shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice.

*Have the product container with you when calling a poison control center or doctor, or going for treatment.*

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

SN: 000-042210

**NET CONTENTS:**



112 W. Charron Road • Moxee, WA 98936  
230 Cowiche City Road • Cowiche, WA 98923

## GENERAL INFORMATION

**EQUALIZER** is a nonionic surfactant for use in improving the efficacy of foliar applied plant growth regulators or streptomycin applications. **EQUALIZER** provides superior wetting of the spray solution, uniform spray coverage and improved foliar penetration.

## DIRECTIONS FOR USE

Before using **EQUALIZER**, always read and follow all label directions, mixing instructions and precautionary statements of the pesticide label that is being tank mixed with **EQUALIZER**.

## NOT FOR AQUATIC USE

Use rates for **EQUALIZER** will range from 1/2 to 3 pints per 100 gallons of spray solution. For the products listed, the following use rates are suggested:

## USE RATES

| <u>Application type or product</u> | <u>pints per 100 gallons</u> | <u>mL per 100 liters</u> |
|------------------------------------|------------------------------|--------------------------|
| Apogee®                            | 1 to 2                       | 125 to 250               |
| Ethephon, Ethrel                   | 2                            | 250                      |
| Maleic Hydrazide                   | 2 to 3                       | 250 to 375               |
| NAA or Amide Sprays                | 2/3                          | 85                       |
| NAA plus Carbaryl                  | 1/2                          | 65                       |
| NAD                                | 1                            | 125                      |
| Streptomycin                       | 1 to 2                       | 125 to 250               |

The most effective rate will vary with temperature and humidity at the time of application. The lower rate will normally be required under conditions of high humidity and the higher rate range is suggested under dry conditions. The above use recommendations are considered sufficient for most uses. Since many factors such as heat, humidity, wind conditions and equipment performance can influence performance, the user should always follow label directions of the product to be tank mixed with **EQUALIZER** and consult local agricultural authorities or perform a limited test using this product to determine the optimum use rate for a given application and specific crop.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a manner allowed by local, state and federal laws and regulations.

## Warranty Statement

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.