

US80925999A (090824) PERIDIAM PRECISE 1010 NO NET PARTIAL DRUM LABEL

7/9/13

colors: cmyk



Peridiam™ Precise 1010

Hazardous Ingredients: Mica (less than 1 % quartz), Titanium dioxide, 1,2-Propanediol, Proprietary Polymer

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Inside Booklet.

For **MEDICAL** and **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

Produced for:
Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
PERIDIAM is a trademark of Bayer.
©2013 Bayer CropScience

090824A 07/13

US80925999A

5.1875"

5.875"

5.875"

Avoid contact with eyes. May cause eye and skin irritation. Wash with soap and water after handling.

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

READ DIRECTIONS BEFORE USE

Peridiam Precise 1010 is especially formulated for use by both commercial conditioners and downstream applicators. When used as directed, it acts as a unique coating agent to aid in chemical retention on seed, minimizing dust and slickening seed surface to assist in seed flow in the plant and on the farm.

DIRECTIONS FOR USE

The normal recommended rate range for Peridiam Precise 1010 is 1 to 3 fl oz per cwt. of seed (65 to 195 mls/100 kg). Rates will be determined by the solid content on the seed. Do not use Peridiam Precise 1010 with high loadings of emulsifiable concentrates. Before treating, check with the manufacturer for specific recommendations relating to seed type and treatment combinations.

Container contents may settle or separate over time. Shake, agitate, or recirculate product as appropriate for container size to thoroughly mix contents prior to use.

If used with non-Bayer CropScience soybean seed treatment products or seed inoculants a "jar test" is recommended prior to treatment slurry preparation to ensure slurry compatibility and correct order of addition.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep product from freezing; store product out of direct sunlight. Do not store at temperatures above 100°F. For best performance the product should be stored and used at 40 - 90° F (4.4 - 32.2° C). Keep container closed at all times when product is not being transferred.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

5.1875"

5.875"

CONTAINER DISPOSAL: Do not reuse empty container. Contact Bayer CropScience or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into collection tank or store rinsate for disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.


Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

5.1875"



13.125"



Peridiam™ Precise 1010

Lot No. _____ Net Contents _____

Peridiam™ Precise 1010

Hazardous Ingredients: Mica (less than 1 % quartz), Titanium dioxide, 1,2-Propanediol, Proprietary Polymer

KEEP OUT OF REACH OF CHILDREN CAUTION

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Inside Booklet.

For **MEDICAL** and **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

Avoid contact with eyes. May cause eye and skin irritation. Wash with soap and water after handling.

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

READ DIRECTIONS BEFORE USE

Peridiam Precise 1010 is especially formulated for use by both commercial conditioners and downstream applicators. When used as directed, it acts as a unique coating agent to aid in chemical retention on seed, minimizing dust and slickening seed surface to assist in seed flow in the plant and on the farm.

DIRECTIONS FOR USE

The normal recommended rate range for Peridiam Precise 1010 is 1 to 3 fl oz per cwt. of seed (65 to 195 ml/100 kg). Rates will be determined by the solid content on the seed. Do not use Peridiam Precise 1010 with high loadings of emulsifiable concentrates. Before treating, check with the manufacturer for specific recommendations relating to seed type and treatment combinations.

Container contents may settle or separate over time. Shake, agitate, or recirculate product as appropriate for container size to thoroughly mix contents prior to use.

If used with non-Bayer CropScience soybean seed treatment products or seed inoculants a "jar test" is recommended prior to treatment slurry preparation to ensure slurry compatibility and correct order of addition.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep product from freezing; store product out of direct sunlight. Do not store at temperatures above 100°F. For best performance the product should be stored and used at 40 - 90° F (4.4 - 32.2° C). Keep container closed at all times when product is not being transferred.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Contact Bayer CropScience or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into collection tank or store rinsate for disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
PERIDIAM is a trademark of Bayer.
©2013 Bayer CropScience

US80925999A 090824A 07/13

5.1875"