


# SUPERIOR TURF FOOD

## 16-8-8 14% Sulfur - 1% Iron - 0.1% Zinc



### DESCRIPTION

Superior Turf Food is a premium quality homogeneous fertilizer product in a 2-1-1 ratio of Nitrogen, Phosphate and Potash combined with Sulfur, Iron, and Zinc. All of these are formed into a homogeneous pellet that is dust free and gives more uniform distribution of Primary, Secondary and Micro Nutrients during application. It is not merely a blend of several different materials, hence with homogeneous fertilizer there is no segregation.

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	16.00%
16.00 % Ammoniacal Nitrogen	
.50 % Urea	
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> ).....	8.00%
Soluble Potash (K <sub>2</sub> O).....	8.00 %
Sulfur (S).....	14.00%
Iron (F).....	1.00%
Zinc (Zn).....	0.10%

Nutrients derived from Monoammonium Phosphate, Sulfuric Acid, Anhydrous Ammonia, Ammonium Sulfate, Urea, Muriate of Potash, Iron Oxide Sulfate, Zinc Oxide Sulfate.

Product of U.S.A

### PACKAGE TYPE: 50# Bags, Bulk

### DIRECTIONS FOR USE

#### ESTABLISHED LAWNS, WARM SEASON GRASSES

Bermuda Grass, St. Augustine, Zoysia, Centipede, Carpet, Bahia, . Apply 10-15 lbs per 1000 sq.ft. Fifty pounds will feed approx. 5,000 sq.ft of turf. This rate supplies the proper amount of fertilizer for one feeding of the above bladed grasses. WATER THOROUGHLY AFTER APPLICATION. For best results and appearance, lawns should be fertilized every 60 days. March through October.

#### ESTABLISHED LAWNS, COOL SEASON GRASSES

Bluegrass, Bentgrass, Fescues, Ryegrass,- apply 10 - 20 pounds per 1000 sq. ft in the spring and fall. Early spring treatment will give grasses a head start

#### NEW LAWNS-PREPLANT

Apply 20 - 30 lbs per 1000 sq.ft. before seeding or sprigging. Rake lightly into top inch of soil. After fourth mowing, fertilize following instructions for established grass lawns. This procedure may be used for any of the above listed grasses.

#### SPREADER SETTINGS

Spreader Type	Setting	Spreader Type	Setting
Scotts Drop	8	Ortho Drop	7
Scotts Broadcast	F-G	Ortho Broadcast	3
Central Drop	7	Precision Broadcast	6
Ferti-lome Broadcast	14	Republic Drop	8
Central Broadcast	5	Cyclone	6

#### GROUND COVER PLANTINGS

- Ivy           •Gazania       •Wild Strawberry   •Rosemary
- Ajuga       •Lantana       •Star Jasmine
- Juniper     •Ivy Geranium   •Vinca

Broadcast 1lb. Per 100 sq. ft. of planting area. Repeat every 6 to 8 weeks throughout the growing season. Wash pellets off forliage. WATER THOROUGHLY AFTER APPLICATION

#### FLOWERS AND VEGETABLES

As a side dressing, evenly spread 1lb. Down each 100ft.of row. For individual planting, apply 2 tablespoons per plant and flood irrigate

### ROSES, FLOWERING SHRUBS AND EVERGREENS

Water well the day before feeding. Sprinkle ¼ lb. evenly around base of plant and work lightly into top 1" of soil. Water thoroughly. Use every six weeks through the growing season. New plantings: Work ¼ lb. into soil at bottom of hole before planting. Set plant, fill hole with soil and press down lightly. WATER THOROUGHLY.

#### FRUIT, NUT, AND CITRUS TREES

- Apple       •Cherry       •Orange
- Peach       •Nectarine   •Lemon
- Apricot     •Walnut       •Grapefruit
- Plum        •Pecan        •Lime
- Pear         •Almond       •and others

#### SHADE TREES

- Mulberry   •Acacia       •Elm
- Oak         •Liquidamor   •Locust
- Birch       •Palms        •Maple
- Eucalyptus •Sycamore     •Ash
- Magnolia   •Poplar       •and others

Make first feeding in late winter or early spring before new growth starts. Second feeding should made about the last of May or first of June. The third, and final yearly feeding should be made during the last of August or the first of September. Apply 1lb. Per 3 feet of height to maximum of 6 lbs. per tree. Spread the fertilizer out and around the tree drip line, and do not apply close to the trunk area. Wait one year before fertilizing newly planted trees as usually their root system are concentrated in a small area, and subject to burning if too much fertilizer is applied

### CAUTION:

#### KEEP OUT OF REACH OF CHILDREN AND PETS

Harmful if swallowed. Do not inhale. Wash hands after use. Store in dry place.

#### Precautions

This product may stain concrete, cement, stucco, sidewalks, pool decking, patio's or painted surfaces.

Do not apply product during periods of drought, high temperatures or while turfgrass is under stress.

Avoid unnecessary overlap of product during application to avoid excessive rates. Water thoroughly after application

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. By using this product, user or buyer accepts the following Warranty Disclaimer and Limitation of Liability.

#### WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESSED OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyers choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Buyer by purchasing or using this product expressly waives any and all warranties implied by law, including, but not limited to any implied WARRANTY OF MERCHANTABILITY or implied WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. Use contrary to label directions is not permitted.

#### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

#### Manufactured by:

Martin Resources  
4200 Stone Rd  
P.O. Box 191  
Kilgore, TX 75663

