

RAPPEL™ DRIFT

DEPOSITION AID • DRIFT CONTROL AGENT

PRINCIPAL FUNCTIONING AGENTS:

	% BY WT.
Polyacrylamide polymer.....	1.0%
Constituents Ineffective as Spray Adjuvant.....	99.0%
TOTAL:	100.00%


All ingredients are exempt from tolerance under 40 CFR 180.

READ AND FOLLOW ALL LABEL DIRECTIONS AND CAUTIONS ON ALL PRODUCTS USED.

TOXICITY END POINTS FOR THIS PRODUCT EXCEED GHS CLASSIFICATION; IT IS LABELED UNDER PREVIOUS REGULATIONS.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

NET CONTENTS: 2.5 Gal (9.46 L)



8 13595 02124 0



Distributed By:
ALTITUDE CROP INNOVATIONS, LLC
4850 Hahns Peak Drive, Suite 200
Loveland, CO 80538

**TOXICITY END POINTS FOR THIS PRODUCT EXCEED GHS CLASSIFICATION;
IT IS LABELED UNDER PREVIOUS REGULATIONS.**

Avoid eye and skin contact. Avoid ingestion, breathing vapors or spray mist.

ADDITIONAL FIRST AID

Call a poison control center or doctor immediately for treatment advice.

IF SWALLOWED: Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. **DO NOT** give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

GENERAL INFORMATION

Rappel Drift is an easy-to-use, highly effective drift control agent and deposition aid, for use in ground aerial spraying operations. *Rappel Drift* is compatible with most water-soluble and wettable powder pesticides, desiccants and cotton defoliants.

DIRECTIONS FOR USE

1. Select correct rate from the rate chart below.
2. Fill mix tank with water. Start to agitate.
3. If additional surfactant or other spray adjuvants are used, they may be added before *Rappel Drift*.
4. Add *Rappel Drift*.
5. Add pesticide.
6. Continue to agitate mix tank at least 2 minutes before spraying.

NOTE: The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Remember, pesticide drift is no accident. *Rappel Drift* will retard, but not totally eliminate the drift.

RATE CHART

Spray Pressure	Nozzle Orientation	*Amount of <i>Rappel Drift</i>
Aerial Applied	Straight Back	2 – 4 Quarts
	45° Angle Back	3 – 5 Quarts
Ground Applied	Flat Fan, Flood	1 – 3 Quarts
	Off-Center	2 – 3 Quarts
Medium (30 - 35 psi)	Flat Fan, Flood	2 – 3 Quarts
	Off-Center	3 – 4 Quarts
	Spray Guns	3 – 5 Quarts
High (50 – 150 psi)	Spray Guns**	3 – 10 Quarts

* Amount per 100 gallons of spray solution

** For home garden sprayers, use approximately 1/4 cup of *Rappel Drift* per 5 gallons spray solution.

STORAGE AND DISPOSAL

STORAGE: Protect from freezing. Store at temperatures between 45 °F and 90 °F. To avoid product degradation and equipment corrosion, **DO NOT** use iron, copper or aluminum containers or equipment. **DO NOT** contaminate water, food or feed by storage or disposal. **DO NOT** reuse container. Keep container tightly closed when not in use.

PRODUCT DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinsate to mix tank. Decontaminated containers may be disposed of in a sanitary landfill or by recycling. Recycling is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at: www.acrecycle.org.

WARRANTY

The directions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Altitude Crop Innovations, LLC or the Seller. All such risks shall be assumed by the Buyer. Altitude Crop Innovations, LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. **ALTITUDE CROP INNOVATIONS, LLC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, IN NO CASE SHALL ALTITUDE CROP INNOVATIONS, LLC. OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** Altitude Crop Innovations, LLC. and the Seller offer this product, and the Buyer and the User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Altitude Crop Innovations, LLC.