

FOLIAR APPLICATION - FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLES & FRUIT CROPS

General Information

GENERAL INFORMATION

Structure contains nitrogen, phosphate, and zinc. This combination of nitrogen, phosphate and zinc is intended to stimulate early root development, plant growth and fruit set. Using this product in Actagro's Soil & Plant Health Technology Solutions program may allow for a reduction in total applied phosphate.

Structure is an effective foliar nutrient when phosphate levels fall below optimum values. Multiple applications may be beneficial. Applications should be made at night or early in the morning.

CAUTION: Foliar application of Structure close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

DIRECTIONS FOR USE

Structure can be applied to most vegetable and cucurbit crops, field crops, row crops, deciduous fruit and nut trees, grapes, berries, olives, avocados and citrus. Structure may be used as a pop-up or in-furrow at 1 to 3 gallons per acre. Structure is non-phytotoxic at recommended rates. Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods

Limitations, Restrictions, and Exceptions

FOLIAR APPLICATION

FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLES & FRUIT CROPS:

Apply with enough water for adequate coverage (5 gpa minimum). A maximum concentration of 1:5 Structure to water should be used for foliar applications. May be applied through center pivot irrigation systems. Repeat applications may be beneficial

Method

[Foliar spray](#)

Rates

[field_rates 0](#)

•

Timings

[N.A.](#)