

# **TREE CROPS - POST-HARVEST FRUIT TREATMENT**

## General Information

### GENERAL INFORMATION

PRONATURAL CALCIUM PLUS is manufactured and designed for foliar applications on plants to prevent or correct calcium deficiencies that usually occur when plants are small and may limit crop growth and yields. PRONATURAL CALCIUM PLUS is readily available to the plant because of the natural complexing properties. It is designed for foliar row or broadcast applications and is water soluble and non-toxic to plants when applied as directed.

PRONATURAL CALCIUM PLUS is a yield-enhancing formulation that contains amino acid complexed calcium. PRONATURAL CALCIUM PLUS is a proprietary formulation that provides a wide range of mixing ease with other fertilizers or chemicals.

### DIRECTIONS FOR USE

SHAKE WELL BEFORE USING. KEEP FROM FREEZING.

Dilute one part PRONATURAL CALCIUM PLUS with 20 or more parts water. Apply using a spray method and in an adequate amount of water that will provide complete coverage of the plants. Use of a nonionic wetting agent may improve spray coverage of certain hard-to-wet plants. Do Not Apply Undiluted.

PRONATURAL CALCIUM PLUS can be included in a regular spray program on crops. Consult with a Wilbur-Ellis representative on compatibility with other spray materials. The rate of application will depend on the crop, stage of growth, and severity of deficiency. The maximum recommended rates are for mature, full-sized plants. Reduce the rates proportionately when spraying smaller plants.

PRONATURAL CALCIUM PLUS may be used on legumes, grain crops, root crops, cucurbits, cole crops, leafy vegetables, woody and herbaceous ornamentals, deciduous fruit, vine crops, tropical and subtropical fruit, and many other crops.

### Limitations, Restrictions, and Exceptions

TREE CROPS: For post-harvest fruit treatment, dilute at a rate of 0.5-1.0 gallon per

100 gallons of water.

Method

[Broadcast Application](#)

Rates

[field rates 0](#)

•

Timings

[Post-harvest](#)